

Researcher Last Name: *Chastagner*

Date Printed: 02/26/2016

PR#	Trial Status	Research Target	Crop/Plant	Product	Production Site	Rate(s) To Be Tested
32685	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	BAS703 06F/BAS703 01F <i>Fluxapyroxad + pyraclostrobin</i>	Field In-Ground	8 fl oz per 100 gal Optional: 6 fl oz per 100 gal
32686	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	Botector <i>Aureobasidium pullans strain DSM 14940 + strain DSM 14941</i>	Field In-Ground	10 fl oz per 100 gal
32687	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	F9110 <i>F9110</i>	Field In-Ground	24 oz per 100 gal
32688	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	MBI 110 <i>MBI110</i>	Field In-Ground	1 gal per 100 gal
32689	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	NUP 09092 <i>fludioxonil</i>	Field In-Ground	8 fl oz per 100 gal Optional: 4 fl oz per 100 gal
32690	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	Prophytex EC <i>Bacillus subtilis strain B1111</i>	Field In-Ground	40 fl oz per 100 gal
32691	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	Prophytex WP <i>Bacillus subtilis strain B1111</i>	Field In-Ground	20 oz per 100 gal
32692	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	Proud 3 <i>Thyme oil (5.6%)</i>	Field In-Ground	1 gal per 100 gal
32693	P - Planned	Botrytis Gray Mold <i>Botrytis cinerea</i>	Fir, Douglas <i>Pseudotsuga menziesii</i>	S2200 4SC <i>Mandestrobin</i>	Field In-Ground	7.5 fl oz per 100 gal 15 fl oz per 100 gal