

Researcher Last Name: *Koivunen*

Date Printed: 07/26/2016

PR#	Trial Status	Research Target	Crop/Plant	Product	Production Site	Rate(s) To Be Tested
30318 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Blanket Flower <i>Gaillardia x grandiflora</i>	Tourney 50WDG <i>Metconazole</i>	Field Container	Foliar: 2 oz per 100 gal Foliar: 4 oz per 100 gal Foliar: 8 oz per 100 gal
30319 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Blanket Flower <i>Gaillardia x grandiflora</i>	Trinity 2SC <i>Triticonazole</i>	Field Container	Foliar: 6 fl oz per 100 gal Foliar: 12 fl oz per 100 gal Foliar: 24 fl oz per 100 gal

Researcher Last Name: *Koivunen*

Date Printed: 07/26/2016

PR#	Trial Status	Research Target	Crop/Plant	Product	Production Site	Rate(s) To Be Tested
32309 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Crape Myrtle <i>Lagerstroemia indica</i>	BAS 440 00I <i>BAS 440</i>	Field Container	Foliar: 7 fl oz per 100 gal Foliar: 14 fl oz per 100 gal Foliar: 28 fl oz per 100 gal
32321 2016	X - Cancelled	Phytotoxicity <i>Phytotoxicity</i>	Goldenrod <i>Solidago sp.</i>	BAS 440 00I <i>BAS 440</i>	Field Container	Foliar: 7 fl oz per 100 gal Foliar: 14 fl oz per 100 gal Foliar: 28 fl oz per 100 gal
32301 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Oleander, Rosebay <i>Nerium oleander</i>	BAS 440 00I <i>BAS 440</i>	Field Container	Foliar: 7 fl oz per 100 gal Foliar: 14 fl oz per 100 gal Foliar: 28 fl oz per 100 gal
32298 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Plane Tree, Sycamore <i>Platanus sp.</i>	BAS 440 00I <i>BAS 440</i>	Field Container	Foliar: 7 fl oz per 100 gal Foliar: 14 fl oz per 100 gal Foliar: 28 fl oz per 100 gal

Researcher Last Name: Koivunen

Date Printed: 07/26/2016

PR#	Trial Status	Research Target	Crop/Plant	Product	Production Site	Rate(s) To Be Tested
28983 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Bearberry <i>Arctostaphylos sp.</i>	Biathlon (OHP 052908) <i>Oxyfluorfen + Prodiamine</i>	Field Container	Over the top: 100 lb per acre Over the top: 200 lb per acre Over the top: 400 lb per acre
31106 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Bearberry <i>Arctostaphylos sp.</i>	Freehand G (BAS 659H G) <i>Dimethenamid-p + pendimethalin</i>	Field Container	Over the top: 150 lb per acre Over the top: 300 lb per acre Over the top: 600 lb per acre
29017 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Corn Flag, Sword Lily <i>Gladiolus sp.</i>	Biathlon (OHP 052908) <i>Oxyfluorfen + Prodiamine</i>	Field Container	Over the top: 100 lb per acre Over the top: 200 lb per acre Over the top: 400 lb per acre
29076 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Periwinkle <i>Vinca sp.</i>	Biathlon (OHP 052908) <i>Oxyfluorfen + Prodiamine</i>	Field Container	Over the top: 100 lb per acre Over the top: 200 lb per acre Over the top: 400 lb per acre

Researcher Last Name: Koivunen

Date Printed: 07/26/2016

PR#	Trial Status	Research Target	Crop/Plant	Product	Production Site	Rate(s) To Be Tested
31989 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Carex buchanani <i>Carex buchanani</i>	Gallery SC <i>Isoxaben</i>	Field Container	Over the top: 31 fl oz per acre (1 lb ai) Over the top: 62 fl oz per acre (2 lb ai) Over the top: 123 fl oz per acre (4 lb ai)
31976 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Mexican feather grass <i>Nassella tenuissima</i>	Gallery SC <i>Isoxaben</i>	Field Container	Over the top: 31 fl oz per acre (1 lb ai) Over the top: 62 fl oz per acre (2 lb ai) Over the top: 123 fl oz per acre (4 lb ai)
31915 2016	P - Planned	Phytotoxicity <i>Phytotoxicity</i>	Mexican feather grass <i>Nassella tenuissima</i>	Pendulum 2G <i>Pendimethalin</i>	Field Container	Over the top: 150 lb per acre Over the top: 300 lb per acre Over the top: 600 lb per acre