


PART 5C

IR-4 Blueberry Planting




Cultivar: Bluecrop
 Plants: 4' apart; Rows: 10' apart
 Planted: 4/8/02
 Each plant row is 124' long

~ TRT 01 is 10' wide and 28' long, and contains 7 plants
 ~ TRT 02 is 10' wide and 92' long and contains 21 plants
 ~ Prevailing wind (in summer) is from the N/NE

(Map not to scale)

PART 5C

IR-4 Blueberry Planting
(Location of all 2012 Blueberry Residue Trials)



Cultivar: Bluecrop
Plants: 4' apart; Rows: 10' apart
Planted: 4/8/02
Each plant row is 124' long.


~ All plots (except Penthiopyrad TRT 02) are 10' wide and 28' long, and contain 7 plants
~ Penthiopyrad TRT 02 plot is 10' wide and 92' long and contains 21 plants
~ Prevailing wind (in summer) is from the N/NE
(Map not to scale)

Handwritten signature and date: 4-23-12

PART 5C

IR-4 Blueberry Planting
Location of all 2012 Blueberry Trials

Harpin Protein plots are as close as 10 ft from residue plots in some areas



Harpin Protein Trts (4 Reps)
EMP = Employ @ 4 oz/A
UTC = Untreated plants

- ~ All plots (except Penthiopyrad TRT 02) are 10'x28' long & contain 7 plants.
- ~ Penthiopyrad TRT 02 plot is 10'x92' and contains 21 plants
- ~ Cultivar: Bluecrop; Plants = 4' apart; Rows = 10' apart; Planted: 4/8/02
- ~ Each plant row is 124' long.
- ~ Prevailing wind (in summer) is from the N/NE

(Map not to scale)

5/16/12 Page 9